

VERSION w/ FREE
STANDING BATH TUB

IMPORTANT NOTE:
DO NOT INSTALL P-TRAP
UNDER NEW BATH TUB
SINCE EXISTING
FLOOR DRAIN SHOULD
HAVE P-TRAP.

FLOOR DRAIN
WITH FLEX
PIPE
CONNECTOR
FLEX DRAIN PIPE

APPLY WHITE
SILICONE
SEAL ALONG
WALL JOINTS

INSTALL
2.10 M-HIGH
WALL TILES
ALL AROUND
(INCLUDING
PARTITION)

NEW FREE STANDING BATHTUB
(1.20 M LONG)
WITH OVERFLOW & DRAIN

(FIXED GLASS)

R/R DRAIN

SLIDING
GLASS DOOR
(72" HIGH)

INSTALL FLOOR
TILES

1.50 M
FROM
FIN. FLOOR
GFI
* WATER
HEATER

50 CFM
EXHAUST FAN

PAINT ALL
EXPOSED WALLS
& CEILING WITH
SEMI-GLOSS
PAINT, 2 COATS

R/R WC

R/R TOILET
PAPER HOLDER

R/R ANGLE
VALVE

NEW
ENCLOSED CEILING
LAMP (EQUIVALENT 150W)

R/R CO. COVER

1.50 M HIGH
PARTITION
(C-STUDS & FIBER)
CEMENT BOARD

0.80 M

GFI

NEW VANITY

R/R
COUNTERTOP
WITH CABINET

PAINT SLIDING
DOOR SEMI-GLOSS
2 COATS

R/R
MIRROR

R/R
LAV

T & B

NEW VANITY

R/R ANGLE
VALVE

NEW SLIDING DOOR
(0.80 M)

0.70 M
DOOR OPENING

LEGEND:

↑ DEMO DOOR/JAMBS & FILL OPENING
WITH CHB WALL

--- USE ONLY $\frac{1}{2}$ " COPPER PIPE, TYPE L (HIDE BEHIND WALL TILES)

(E) EXISTING FIXTURE

C.O. CLEAN OUT

WC WATERCLOSET

R/R REMOVE & REPLACE


② BEDROOM T & B

RENOVATIONS

REV. 2 - 11/2/24

* USE A.O. SMITH BRAND OF
ELECTRIC WATER HEATER, 3.5 KW. INSTALL 15A DEDICATED GFI OUTLET.

VERSION w/o
BATH TUB



LEGEND:

--- USE ONLY $\frac{1}{2}$ " COPPER PIPE, TYPE L (HIDE BEHIND WALL TILES)

(E) EXISTING FIXTURE

C.O. CLEAN OUT

WC WATERCLOSET

R/R REMOVE & REPLACE

* USE A.O. SMITH BRAND OF ELECTRIC WATER HEATER, 3.5 KW. INSTALL 15A DEDICATED GFI OUTLET.

② BEDROOM T & B

RENOVATIONS


REV. 2 - 11/2/24

rev. 2 - 11/2/24



BILL OF MATERIALS
(PARTIAL) rev. 2 - 11/2/24
MASTER BEDROOM/T&B AND UTILITY ROOM/T&B

1)	SHOWER SETS	- 2
2)	LAVATORY w/ P-TRAP FITTINGS	- 2
3)	LAV. FAUCETS w/ FITTINGS	- 2
4)	ELECTRIC WATER HEATER (A.O. SMITH BRAND) 3.5 KW	- 2
5)	36" X 36" BATH ENCLOSURE w/ TRAY (SANITEC OR EQUAL)	- 1
6)	28" X 48" FREE STANDING REINFORCED ACRYLIC BATH TUB WITH OVERFLOW & DRAIN FITTINGS	- 1
7)	WATER CLOSETS (TOILET) WITH FITTINGS	- 2
8)	TEMPERED GLASS SLIDING/FIXED DOOR (FOR BATH TUB) 60"-HIGH WITH 6MM TEMPERED GLASS, SEMI-FRAMELESS	- 1
9)	COUNTERTOP w/ SPLASHBOARD AND CABINETS	- 2
10)	WALL EXHAUST FAN (LAVFILL BRAND OR EQUAL), 50CFM	- 1
11)	0.80M SLIDING DOORS WITH HARDWARE (BARN STYLE)	- 2
12)	2 GANG GFCI ^{DUPLEX} OUTLET WITH GROUND	- 7
13)	2 GANG DUPLEX OUTLET	- 2
14)	ENCLOSED LED CEILING LAMPS (EQUIVALENT TO 150W)	- 2
15)	1-WAY SWITCH, 3-DEVICE, ILLUMINATED (PANASONIC BRAND)	- 2
16)	TOILET PAPER HOLDER	- 2
17)	FIBER CEMENT BOARDS, 9mm X 4' X 8'	- 4
18)	PLYWOOD, $\frac{1}{4}$ " X 4' X 8' (FOR STORAGE WALL)	- 2
19)	C-STUDS, 0.5mm X 70mm X 3m	- 9
20)	VANITY LAMPS WITH LED BULBS 60W EQUIV.	- 4
21)	WALL-MOUNTED VANITY MIRROR, HIGH DEFINITION ALUMINUM FRAME, 3' X 3' WITH PRIMER	- 1
22)	BOYSEN ACRYLIC PAINT, SEMI-GLOSS WHITE, 16L, 2 COATS w/PRIMER	- 1
23)	MATTE ACRYLIC PAINT, WHITE, 16L, 2 COATS	- 2
24)	$\frac{1}{2}$ " COPPER PIPE, TYPE L, 3M	- 1
25)	SILICONE SEALANTS, WHITE, ACRYLIC, 100% WATERPROOF 10.1 OZ CARTRIDGE	- 3
26)	SILICONE SEALANT, CLEAR, 100% WATERPROOF, 10.1 OZ	- 1
27)	4" X 4" SS304 CLEAN OUT COVER	- 2
28)	4" X 4" SS304 FLOOR DRAIN	- 1
29)	FLOOR & WALL PORCELAIN TILES (OWNER TO SPECIFY)	
30)	WALL PUTTY, 4L	- 1
31)	LONG WALL FAUCET SS304 (FOR UTILITY T&B)	- 1
32)	INVERTER SPLIT-TYPE AIRCON, 1.5HP (CARRIER BRAND)	- 1
33)	PLYWOOD, $\frac{3}{4}$ " X 4' X 8' (FOR UTILITY T&B SHELF/RACK & MASTER BEDROOM CLOSETS)	- 4
34)	CEILING EXHAUST FAN, 50 CFM CAPACITY	- 1
35)	E12 TYPE CHANDELIER BULBS 60W EQUIVALENT	- TBD



③ RENOVATIONS ON BEDROOM
 rev. 1 - 10/14/24

Bill of Materials
(PARTIAL) rev. 2 - 11/2/24

36)	3-GANG ROCKER SWITCH, 15A, 230V	-3
37)	1-GANG ROCKER SWITCH, 15A, 230V	-1
38)	PLYWOOD, $\frac{1}{4}$ " x 4' x 8' (FOR MASTER BEDROOM CLOSETS/ BACKING)	-2
39)	4-MIL PLASTIC SHEETING (FOR FLOOR PROTECTION) DURING CONSTRUCTION	- TBD
40)	4" OR 6" CONCRETE HOLLOW BLOCKS	- 20
41)	SAND/CEMENT BAGS OR MORTAR MIX BAGS	- TBD
42)	10 mm-REBAR	- TBD

Unit Renovation Form

Date of Application: _____ ☐ Original ☐ Renewal Date issued: _____
 Unit Owner: _____ Company: _____ Contact #: _____
 Name of Owner / Authorized Representative: _____ Company: _____ Contact #: _____
 Floor / Unit No.: _____ No.: _____

Form to be accomplished by designing ARCHITECT / CIVIL ENGINEER

Designer / Architect RENE APELO/CE-0052835 Sub Contractors	General Contractor Trades
Scope of Work:	
1.) New Construction 2.) Addition of 3.) Repair of 4.) Renovation of (2) T & B, KITCHEN, BEDRM 5.) Demolition 6.) Cabling /Electrical 7.) Others/Pls. Specify 8.) Others/Pls. Specify	

Start of Date: _____
Target Completion Date: _____
Total Estimated Cost: _____

Minor Renovation Works that last for 3 working days only with no changes in major partition wall and electrical works. Should project extends on the 4th day, a construction bond of at least Php. 5,000.00 shall be collected otherwise construction will put on hold.

✓ Major Renovation Works that last for 4 working days or more. Floor Plans with cost estimates & posting of construction cash bond shall be secured from the contractor.

THE FOLLOWING BUILDING DOCUMENT ARE TO BE SUBMITTED (FIVE SET EACH)

- _____ Site Development and Location Plan
- _____ Architectural Plan & Specification.
- _____ Structural Design and Computation.
- _____ Sanitary / Plumbing Plans & Specifications.
- _____ Electrical Plans, Load Schedule & Specification.
- _____ Mechanical Plans and Specification.

✓ Others (please specify) T&B / BEDROOM RENOVATION PLANS, SCOPE OF WORK

PERMIT IS HEREBY GRANTED SUBJECT TO THE FOLLOWING CONDITIONS:

1. THAT THE PROPOSED CONSTRUCTION (ADDITION/REPAIR/RENOVATION/DEMOLITION/INSTALLATION, ETC.) SHALL BE IN CONFORMITY WITH THE NATIONAL BUILDING CODE (P.D. 1096) AND ITS CORRESPONDING IMPLEMENTING RULES AND REGULATIONS.
2. THAT THE UNIT OWNER OCCUPANT AND HIS REPRESENTATIVES HAVE AGREED TO COMPLY WITH ALL THE RULES AND REQUIREMENTS IN THE CONSTRUCTION GUIDELINES.
3. THAT ALL DULY LICENSED ARCHITECTURAL ENGINEER HAS BEEN ENGAGED TO PREPARE PLANS AND SPECIFICATIONS AND UNDER TAKE THE SUPERVISION/ INSPECTION OF THE CONSTRUCTION OF THE PROJECT.
4. THAT A CERTIFICATE OF OCCUPANCY "SHALL BE SECURED PRIOR TO ACTUAL OCCUPANCY OF THE UNIT.

Note:

THE ASSOCIATION AND ADMINISTRATION RESERVES THE RIGHT TO CANCEL OR REVOKE THIS PERMIT FOR ANY VIOLATION/NON COMPLIANCE OF THE GUIDELINES.

Requested By:	Recommended By:	Approved By:
Unit Owner	Property Engineer	Property Head